

# COVID-19 Weekly Epidemiological Update

Data as received by WHO from national authorities, as of 4 April 2021, 10 am CET

In this edition:

- [Global overview](#)
- [WHO regional overviews](#)


**Erratum:** Variants of Concern (VOCs) were incorrectly reported for Mauritania in the previous publications on 23 March and 30 March 2021. The country has not reported any VOCs to date.

**Erratum 8 April 2021:** In the version published on 6 April, the newly reported cases for the European Region (under the regional narrative) were incorrectly reported due to a typographical error. Data have now been corrected.

## Global overview

Globally, new COVID-19 cases rose for a sixth consecutive week, with over 4 million new cases reported in the last week (Figure 1). The number of new deaths also increased by 11% compared to last week, with over 71 000 new deaths reported. The largest increases in case incidence were observed in the South-East Asia (most notably in India) and the Western Pacific regions (Table 1). All regions, except for the African Region, reported increases in the number of deaths, with the largest increase of 46% from the South-East Asia Region.

**Figure 1. COVID-19 cases reported weekly by WHO Region, and global deaths, as of 4 April 2021\*\***



\*\*See [Annex: Data, table and figure notes](#)

The highest numbers of new cases were reported from India (513 885 new cases; 38% increase), Brazil (505 668 new cases; 5% decrease), the United States of America (444 756 new cases; 5% increase), Turkey (265 937 new cases; 43% increase), and France (244 607 new cases; 4% decrease).

**Table 1. Newly reported and cumulative COVID-19 cases and deaths, by WHO Region, as of 4 April 2021\*\***

WHO Region	New cases in last 7 days (%)	Change in new cases in last 7 days *	Cumulative cases (%)	New deaths in last 7 days (%)	Change in new deaths in last 7 days *	Cumulative deaths (%)
Americas	1 344 618 (33%)	3%	56 589 190 (43%)	37 185 (52%)	15%	1 368 633 (48%)
Europe	1 638 947 (40%)	-2%	45 877 941 (35%)	24 534 (34%)	2%	980 586 (34%)
South-East Asia	592 349 (14%)	36%	15 212 235 (11%)	4 317 (6%)	46%	222 054 (7%)
Eastern Mediterranean	297 763 (7%)	10%	7 693 094 (5%)	3 699 (5%)	7%	160 612 (5%)
Africa	58 858 (1%)	-6%	3 120 296 (2%)	1 077 (1%)	-20%	78 523 (2%)
Western Pacific	105 757 (2%)	25%	1 965 683 (1%)	543 (0%)	5%	31 904 (1%)
<b>Global</b>	<b>4 038 292 (100%)</b>	<b>5%</b>	<b>130 459 184 (100%)</b>	<b>71 355 (100%)</b>	<b>11%</b>	<b>2 842 325 (100%)</b>


\*Percent change in the number of newly confirmed cases/deaths in past seven days, compared to seven days prior.

\*\*See [Annex: Data, table and figure notes](#)

For the latest data and other updates on COVID-19, please see:

- [WHO COVID-19 Dashboard](#)
- [WHO COVID-19 Weekly Operational Update](#)

Figure 2. COVID-19 cases per 100 000 population reported by countries, territories and areas, 29 March – 4 April 2021\*\*




\*\*See Annex: Data, table and figure notes

## WHO regional overviews

### African Region

The Region reported around 59 000 new cases and 1000 new deaths last week, a 6% and 20% decrease respectively compared to the previous week. The highest numbers of new cases were reported from Ethiopia (14 517 new cases; 12.6 new cases per 100 000 population; a 10% increase), Kenya (8747 new cases; 16.3 new cases per 100 000; a 5% decrease), and South Africa (7035 new cases; 11.9 new cases per 100 000; an 8% decrease).


The highest numbers of new deaths were reported from South Africa (306 new deaths; 0.5 new deaths per 100 000 population; a 46% decrease), Ethiopia (152 new deaths; <0.1 new deaths per 100 000; a 11% increase), and Kenya (102 new deaths; 0.2 new deaths per 100 000; a 13% decrease).



### Region of the Americas

The Region reported over 1.3 million new cases and over 37 000 new deaths, a 3% and a 15% increase respectively compared to the previous week. Overall, there has been an increasing trend in weekly case incidence over the last six weeks. The highest numbers of new cases were reported from Brazil (505 668 new cases; 237.9 new cases per 100 000; a 5% decrease), the United States of America (444 756 new cases; 134.4 new cases per 100 000; a 5% increase), and Argentina (82 102 new cases; 181.7 new cases per 100 000; a 46% increase).


The highest numbers of new deaths were reported from Brazil (21 094 new deaths; 9.9 new deaths per 100 000; a 26% increase), the United States of America (7536 new deaths; 2.3 new deaths per 100 000; an 8% increase), and Mexico (2992 new deaths; 2.3 new deaths per 100 000; an 18% decrease).



## Eastern Mediterranean Region

The Region reported over 297 000 new cases and about 3700 new deaths, a 10% and a 7% increase respectively compared to the previous week. Both cases and deaths are on an upward trajectory with new cases increasing for the past eight weeks. The highest numbers of new cases were reported from the Islamic Republic of Iran (73 471 new cases; 87.5 new cases per 100 000; a 38% increase), Jordan (44 742 new cases; 438.5 new cases per 100 000; a 19% decrease), and Iraq (41 043 new cases; 102.0 new cases per 100 000; an 9% increase).


The highest numbers of new deaths were reported from the Islamic Republic of Iran (691 new deaths; 0.8 new deaths per 100 000; an 18% increase), Jordan (658 new deaths; 6.4 new deaths per 100 000; a 4% decrease), and Pakistan (539 new deaths; 0.2 new deaths per 100 000; a 50% increase).



## European Region

After reporting a progressive increase in weekly cases for five weeks, the number of new cases reported this past week is similar to that reported in the previous week, with over 1.6 million new cases reported. The number of new deaths, however, has continued to increase for the past four weeks, with 24 000 new deaths reported. The highest numbers of new cases were reported from Turkey (265 937 new cases; 315.3 new cases per 100 000; a 43% increase), France (244 607 new cases; 374.7 new cases per 100 000; a 4% decrease), and Poland (187 551 new cases; 495.6 new cases per 100 000; a 3% decrease).


The highest numbers of new deaths were reported from Italy (3068 new deaths; 5.1 new deaths per 100 000; a 2% increase), Poland (3057 new deaths; 8.1 new deaths per 100 000; an 18% increase), and the Russian Federation (2634 new deaths; 1.8 new deaths per 100 000; a 3% decrease).



## South-East Asia Region

The Region reported over 592 000 new cases and 4300 new deaths, a 36% and a 46% increase respectively compared to the previous week. Case incidence rates have risen markedly through March, with a sharp increase in the past three weeks. The number of new deaths continued to increase in the past three weeks with a steep increase reported in past one week. India contributed 87% of new cases and 71% of new deaths in the Region in the past week. The highest numbers of new cases were reported from India (513 885 new cases; 37.2 new cases per 100 000; a 38% increase), Bangladesh (38 471 new cases; 23.4 new cases per 100 000; a 67% increase), and Indonesia (35 522 new cases; 13 new cases per 100 000; a 2% decrease).


The highest numbers of new deaths were reported from India (3071 new deaths; 0.2 new deaths per 100 000; a 71% increase), Indonesia (878 new deaths; 0.3 new deaths per 100 000; a 4% decrease), and Bangladesh (344 new deaths; 0.2 new deaths per 100 000; a 71% increase).



## Western Pacific Region

The Region reported over 106 000 new cases and over 500 new deaths, a 25% and a 5% increase respectively compared to the previous week. A steep increase in the number of new cases has been observed over the past four weeks. The highest numbers of new cases were reported from the Philippines (71 606 new cases; 65.3 new cases per 100 000; a 27% increase), Japan (16 018 new cases; 12.7 new cases per 100 000; a 43% increase), and Malaysia (8968 new cases; 27.7 new cases per 100 000; similar to the previous week).

The highest numbers of new deaths were reported from the Philippines (264 new deaths; 0.2 new deaths per 100 000; a 15% increase), Japan (190 new deaths; 0.2 new deaths per 100 000; a 13% decrease), and Malaysia (35 new deaths; <0.1 new deaths per 100 000; a 59% increase).



## Technical guidance and other resources

- [Technical guidance](#)
- [WHO Coronavirus Disease \(COVID-19\) Dashboard](#)
- [Weekly COVID-19 Operational Updates](#)
- [WHO COVID-19 case definitions](#)
- [COVID-19 Supply Chain Inter-Agency Coordination Cell Weekly Situational Update](#)
- [Research and Development](#)
- [Online courses on COVID-19](#) in official UN languages and in [additional national languages](#)
- [The Strategic Preparedness and Response Plan](#) (SPRP) outlining the support the international community can provide to all countries to prepare and respond to the virus
- Updates from WHO regions:
  - [African Region](#)
  - [Region of the Americas](#)
  - [Eastern Mediterranean Region](#)
  - [South-East Asia Region](#)
  - [European Region](#)
  - [Western Pacific Region](#)
- Recommendations and advice for the public:
  - [Protect yourself](#)
  - [Questions and answers](#)
  - [Travel advice](#)
- [EPI-WIN: tailored information for individuals, organizations and communities](#)
- [WHO Academy COVID-19 mobile learning app](#)

## Annex

Annex 1. COVID-19 confirmed cases and deaths reported in the last seven days by countries, territories and areas, and WHO Region, as of 4 April 2021\*\*

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
<b>Africa</b>	<b>58 858</b>	<b>3 120 296</b>	<b>278.1</b>	<b>1 077</b>	<b>78 523</b>	<b>7.0</b>	
Ethiopia	14 517	213 311	185.5	152	2 936	2.6	Community transmission
Kenya	8 747	138 077	256.8	102	2 206	4.1	Community transmission
South Africa	7 035	1 551 501	2 616.0	306	52 954	89.3	Community transmission
Cameroon	6 251	53 920	203.1	58	779	2.9	Community transmission
Botswana	2 412	40 878	1 738.3	85	591	25.1	Community transmission
Côte d'Ivoire	1 858	44 326	168.0	18	247	0.9	Community transmission
Madagascar	1 838	25 262	91.2	68	449	1.6	Community transmission
Gabon	1 437	19 863	892.4	10	119	5.3	Community transmission
Togo	1 388	11 064	133.6	3	110	1.3	Community transmission
Namibia	1 082	44 581	1 754.5	23	531	20.9	Community transmission
Zambia	1 073	88 800	483.0	17	1 215	6.6	Community transmission
Mozambique	994	68 005	217.6	20	782	2.5	Community transmission
Rwanda	934	22 243	171.7	11	311	2.4	Community transmission
Guinea	818	20 319	154.7	13	129	1.0	Community transmission
Cabo Verde	803	17 821	3 205.3	6	171	30.8	Community transmission
Algeria	774	117 524	268.0	25	3 102	7.1	Community transmission
Mali	659	10 432	51.5	15	391	1.9	Community transmission
Nigeria	624	163 113	79.1	17	2 058	1.0	Community transmission
Angola	548	22 579	68.7	7	540	1.6	Community transmission
Senegal	497	38 953	232.6	29	1 063	6.3	Community transmission
Democratic Republic of the Congo	406	28 292	31.6	11	745	0.8	Community transmission
Ghana	387	90 674	291.8	4	744	2.4	Community transmission
Seychelles	240	4 294	4 366.2	4	22	22.4	Community transmission



Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
Benin	213	7 313	60.3	3	93	0.8	Community transmission
South Sudan	207	10 255	91.6	4	112	1.0	Community transmission
Uganda	195	40 962	89.6	0	335	0.7	Community transmission
Malawi	181	33 639	175.8	6	1 119	5.8	Community transmission
Mauritania	172	17 917	385.3	1	449	9.7	Community transmission
Mauritius	164	1 034	81.3	2	12	0.9	Community transmission
Central African Republic	158	5 245	108.6	8	72	1.5	Community transmission
Burundi	154	2 911	24.5	0	6	0.1	Community transmission
Burkina Faso	130	12 803	61.2	5	150	0.7	Community transmission
Eritrea	126	3 334	94.0	1	10	0.3	Community transmission
Equatorial Guinea	106	7 008	499.5	1	103	7.3	Community transmission
Zimbabwe	93	36 911	248.3	5	1 524	10.3	Community transmission
Comoros	92	3 782	434.9	0	146	16.8	Community transmission
Chad	88	4 589	27.9	4	164	1.0	Community transmission
Gambia	58	5 459	225.9	2	165	6.8	Community transmission
Niger	46	5 033	20.8	3	188	0.8	Community transmission
Guinea-Bissau	31	3 661	186.0	4	65	3.3	Community transmission
Sao Tome and Principe	30	2 240	1 022.1	1	35	16.0	Community transmission
Eswatini	29	17 347	1 495.2	2	668	57.6	Community transmission
Sierra Leone	25	3 987	50.0	0	79	1.0	Community transmission
Lesotho	21	10 707	499.8	0	315	14.7	Community transmission
Liberia	8	2 061	40.7	0	85	1.7	Community transmission
Congo	0	9 681	175.4	0	135	2.4	Community transmission
United Republic of Tanzania	0	509	0.9	0	21	0.0	Pending
<b>Territories<sup>iii</sup></b>							
Réunion	1 025	16 586	1 852.5	13	115	12.8	Community transmission
Mayotte	184	19 490	7 144.0	8	162	59.4	Community transmission

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
<b>Americas</b>	<b>1 344 618</b>	<b>56 589 190</b>	<b>5 532.9</b>	<b>37 185</b>	<b>1 368 633</b>	<b>133.8</b>	
Brazil	505 668	12 910 082	6 073.6	21 094	328 206	154.4	Community transmission
United States of America	444 756	30 304 462	9 155.4	7 536	550 539	166.3	Community transmission
Argentina	82 102	2 373 153	5 250.8	788	56 023	124.0	Community transmission
Colombia	60 711	2 428 048	4 771.8	1 132	63 777	125.3	Community transmission
Peru	55 961	1 568 345	4 756.6	1 299	52 331	158.7	Community transmission
Chile	49 565	1 019 478	5 333.1	768	23 421	122.5	Community transmission
Canada	31 263	987 918	2 617.5	176	23 002	60.9	Community transmission
Mexico	27 512	2 247 357	1 743.0	2 992	203 854	158.1	Community transmission
Uruguay	19 225	111 568	3 211.8	166	1 041	30.0	Community transmission
Paraguay	13 182	217 886	3 054.8	336	4 294	60.2	Community transmission
Ecuador	10 476	333 175	1 888.4	231	16 910	95.8	Community transmission
Venezuela (Bolivarian Republic of)	7 825	162 730	572.3	86	1 629	5.7	Community transmission
Cuba	6 798	78 382	692.0	17	431	3.8	Community transmission
Bolivia (Plurinational State of)	5 236	273 947	2 346.8	162	12 305	105.4	Community transmission
Honduras	3 389	189 726	1 915.5	86	4 622	46.7	Community transmission
Panama	2 833	355 850	8 247.3	39	6 126	142.0	Community transmission
Jamaica	2 702	40 449	1 366.0	47	613	20.7	Community transmission
Dominican Republic	2 199	253 781	2 339.4	32	3 334	30.7	Community transmission
Guatemala	1 986	195 036	1 088.6	81	6 875	38.4	Community transmission
Costa Rica	1 586	216 764	4 255.2	26	2 957	58.0	Community transmission
El Salvador	665	64 431	993.4	23	2 021	31.2	Community transmission
Guyana	439	10 446	1 328.1	10	235	29.9	Clusters of cases
Trinidad and Tobago	177	8 116	579.9	4	145	10.4	Community transmission
Bahamas	137	9 171	2 332.1	0	188	47.8	Clusters of cases
Saint Lucia	82	4 273	2 327.0	3	61	33.2	Community transmission

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
Barbados	62	3 665	1 275.3	1	42	14.6	Community transmission
Haiti	52	12 788	112.2	0	252	2.2	Community transmission
Suriname	49	9 137	1 557.5	0	177	30.2	Clusters of cases
Antigua and Barbuda	48	1 170	1 194.7	0	28	28.6	Clusters of cases
Belize	41	12 456	3 132.6	0	317	79.7	Community transmission
Nicaragua	38	5 326	80.4	1	178	2.7	Community transmission
Saint Vincent and the Grenadines	34	1 755	1 581.9	0	10	9.0	Community transmission
Dominica	4	165	229.2	0	0	0.0	Clusters of cases
Grenada	0	155	137.7	0	1	0.9	Sporadic cases
Saint Kitts and Nevis	0	44	82.7	0	0	0.0	Sporadic cases
<b>Territories<sup>iii</sup></b>							
Puerto Rico	3 236	108 861	3 805.2	17	2 126	74.3	Community transmission
Curaçao	2 186	8 834	5 383.5	11	38	23.2	Community transmission
Martinique	614	8 163	2 175.3	4	54	14.4	Community transmission
Aruba	430	9 503	8 900.8	4	86	80.5	Community transmission
Bermuda	415	1 362	2 187.1	0	12	19.3	Community transmission
Guadeloupe	378	11 890	2 971.6	4	177	44.2	Community transmission
French Guiana	210	17 132	5 735.9	7	96	32.1	Community transmission
Bonaire, Sint Eustatius and Saba	164	1 411	5 381.2	1	11	42.0	
Saint Barthélemy	53	910	9 205.9	0	1	10.1	Clusters of cases
Sint Maarten	33	2 151	5 016.1	0	27	63.0	Community transmission
Saint Martin	30	1 687	4 363.8	1	13	33.6	Community transmission
United States Virgin Islands	30	2 931	2 806.8	0	26	24.9	Community transmission
Turks and Caicos Islands	19	2 344	6 054.0	0	17	43.9	Clusters of cases
Cayman Islands	14	501	762.3	0	2	3.0	Sporadic cases
Anguilla	2	25	166.6	0	0	0.0	Sporadic cases
Falkland Islands (Malvinas)	1	52	1 493.0	0	0	0.0	No cases

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
British Virgin Islands	0	154	509.3	0	1	3.3	Clusters of cases
Montserrat	0	20	400.1	0	1	20.0	Sporadic cases
Saint Pierre and Miquelon	0	24	414.2	0	0	0.0	No cases
<b>Eastern Mediterranean</b>	<b>297 763</b>	<b>7 693 094</b>	<b>1 052.7</b>	<b>3 699</b>	<b>160 612</b>	<b>22.0</b>	
Iran (Islamic Republic of)	73 471	1 920 394	2 286.4	691	62 999	75.0	Community transmission
Jordan	44 742	626 875	6 143.9	658	7 130	69.9	Community transmission
Iraq	41 043	868 200	2 158.5	253	14 430	35.9	Community transmission
Pakistan	33 064	682 888	309.1	539	14 697	6.7	Community transmission
Lebanon	18 775	477 113	6 990.2	321	6 379	93.5	Community transmission
United Arab Emirates	14 954	468 023	4 732.1	27	1 504	15.2	Community transmission
Kuwait	8 811	235 989	5 525.9	60	1 339	31.4	Community transmission
Tunisia	8 632	258 335	2 185.8	226	8 931	75.6	Community transmission
Bahrain	6 952	147 770	8 684.3	18	531	31.2	Clusters of cases
Oman	6 180	160 018	3 133.5	31	1 681	32.9	Community transmission
Qatar	5 413	182 548	6 336.2	17	301	10.4	Community transmission
Libya	4 972	161 088	2 344.4	82	2 684	39.1	Community transmission
Egypt	4 892	204 256	199.6	278	12 123	11.8	Clusters of cases
Saudi Arabia	4 215	392 009	1 126.0	47	6 690	19.2	Sporadic cases
Morocco	3 474	497 832	1 348.8	44	8 842	24.0	Clusters of cases
Djibouti	1 260	8 509	861.2	6	72	7.3	Community transmission
Syrian Arab Republic	928	19 284	110.2	72	1 299	7.4	Community transmission
Somalia	785	11 623	73.1	58	546	3.4	Community transmission
Yemen	728	4 701	15.8	100	933	3.1	Community transmission
Afghanistan	382	56 676	145.6	27	2 497	6.4	Sporadic cases
Sudan	180	31 833	72.6	13	2 063	4.7	Community transmission
<b>Territories<sup>iii</sup></b>							
occupied Palestinian territory	13 910	277 130	5 432.4	131	2 941	57.7	Community transmission

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
<b>Europe</b>	<b>1 638 947</b>	<b>45 877 941</b>	<b>4 915.1</b>	<b>24 534</b>	<b>980 586</b>	<b>105.1</b>	
Turkey	265 937	3 445 052	4 084.8	1 155	32 078	38.0	Community transmission
France	244 607	4 679 794	7 169.5	1 991	95 875	146.9	Community transmission
Poland	187 551	2 438 542	6 443.2	3 057	54 941	145.2	Community transmission
Italy	137 794	3 650 247	6 037.3	3 068	110 704	183.1	Clusters of cases
Germany	112 985	2 885 386	3 443.8	1 093	76 963	91.9	Community transmission
Ukraine	101 646	1 745 709	3 991.7	2 379	34 333	78.5	Community transmission
Russian Federation	61 062	4 580 894	3 139.0	2 634	100 374	68.8	Clusters of cases
Netherlands	50 518	1 295 228	7 559.0	160	16 606	96.9	Community transmission
Hungary	45 552	679 413	7 033.0	1 532	21 504	222.6	Community transmission
Romania	38 045	970 224	5 043.3	976	23 973	124.6	Community transmission
Czechia	36 867	1 551 896	14 491.5	1 071	26 945	251.6	Community transmission
Serbia	32 748	614 365	8 822.3	271	5 422	77.9	Community transmission
Belgium	28 276	900 995	7 774.2	241	23 162	199.9	Community transmission
The United Kingdom	27 911	4 357 095	6 418.3	253	126 826	186.8	Community transmission
Sweden	26 914	813 191	8 052.0	22	13 498	133.7	Community transmission
Bulgaria	24 489	352 259	5 069.6	857	13 507	194.4	Clusters of cases
Austria	21 652	552 496	6 134.5	170	9 165	101.8	Community transmission
Greece	20 869	273 459	2 623.6	476	8 302	79.7	Community transmission
Azerbaijan	14 344	268 714	2 650.3	184	3 648	36.0	Clusters of cases
Kazakhstan	13 554	305 860	1 628.9	116	3 812	20.3	Clusters of cases
Croatia	12 804	280 026	6 821.1	165	6 058	147.6	Community transmission
Bosnia and Herzegovina	10 971	174 846	5 329.3	525	6 803	207.4	Community transmission
Spain	9 182	3 291 394	7 039.7	79	75 541	161.6	Community transmission
Switzerland	9 173	602 578	6 962.5	42	9 677	111.8	Community transmission
Republic of Moldova	8 734	234 394	5 810.5	307	5 092	126.2	Community transmission
Belarus	8 434	326 065	3 450.7	65	2 276	24.1	Community transmission

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
Slovenia	7 382	219 422	10 554.5	41	4 368	210.1	Clusters of cases
Slovakia	7 332	365 242	6 689.9	529	10 025	183.6	Clusters of cases
North Macedonia	6 694	132 924	6 380.2	218	3 860	185.3	Community transmission
Armenia	6 317	196 634	6 635.8	128	3 592	121.2	Community transmission
Norway	5 836	96 770	1 785.0	17	673	12.4	Community transmission
Lithuania	5 770	219 711	8 070.8	58	3 609	132.6	Community transmission
Estonia	5 769	109 399	8 247.0	94	941	70.9	Clusters of cases
Denmark	5 669	232 718	4 017.8	15	2 428	41.9	Community transmission
Ireland	3 758	237 695	4 813.8	62	4 715	95.5	Community transmission
Georgia	3 532	283 833	7 115.1	60	3 811	95.5	Community transmission
Latvia	3 151	103 867	5 506.7	51	1 923	102.0	Community transmission
Cyprus	2 977	47 282	3 916.2	11	261	21.6	Clusters of cases
Portugal	2 820	822 862	8 069.9	41	16 868	165.4	Clusters of cases
Finland	2 561	78 106	1 409.7	29	846	15.3	Community transmission
Albania	2 542	126 183	4 384.7	52	2 256	78.4	Clusters of cases
Montenegro	2 090	92 517	14 730.5	58	1 303	207.5	Clusters of cases
Israel	1 588	833 200	9 626.2	59	6 231	72.0	Community transmission
Luxembourg	1 350	62 105	9 921.3	12	750	119.8	Community transmission
Uzbekistan	1 283	83 623	249.9	5	631	1.9	Clusters of cases
Kyrgyzstan	922	89 014	1 364.4	11	1 506	23.1	Clusters of cases
Malta	381	29 189	6 610.7	12	397	89.9	Clusters of cases
Andorra	365	12 174	15 756.2	2	117	151.4	Community transmission
San Marino	149	4 775	14 069.8	0	84	247.5	Community transmission
Monaco	72	2 326	5 927.0	1	29	73.9	Sporadic cases
Iceland	62	6 225	1 824.2	0	29	8.5	Community transmission
Liechtenstein	23	2 764	7 247.6	0	54	141.6	Sporadic cases
Holy See	0	26	3 213.8	0	0	0.0	Sporadic cases

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
Tajikistan	0	13 714	143.8	0	91	1.0	Pending
<b>Territories<sup>iii</sup></b>							
Kosovo <sup>[1]</sup>	5 908	92 932	4 995.3	76	1 896	101.9	Community transmission
Isle of Man	19	1 570	1 846.4	3	29	34.1	No cases
Jersey	4	3 229	2 967.8	0	69	63.4	Community transmission
Gibraltar	2	4 275	12 688.8	0	94	279.0	Clusters of cases
Faroe Islands	0	661	1 352.7	0	1	2.0	Sporadic cases
Greenland	0	31	54.6	0	0	0.0	No cases
Guernsey	0	821	1 299.1	0	14	22.2	Community transmission
<b>South-East Asia</b>	<b>592 349</b>	<b>15 212 235</b>	<b>752.6</b>	<b>4 317</b>	<b>222 054</b>	<b>11.0</b>	
India	513 885	12 485 509	904.7	3 071	164 623	11.9	Clusters of cases
Bangladesh	38 471	630 277	382.7	344	9 213	5.6	Community transmission
Indonesia	35 522	1 527 524	558.5	878	41 242	15.1	Community transmission
Sri Lanka	1 456	93 295	435.7	17	575	2.7	Clusters of cases
Maldives	1 248	24 651	4 560.4	1	67	12.4	Clusters of cases
Nepal	1 018	277 768	953.3	5	3 032	10.4	Clusters of cases
Thailand	393	29 127	41.7	1	95	0.1	Clusters of cases
Timor-Leste	234	714	54.2	0	0	0.0	Clusters of cases
Myanmar	102	142 479	261.9	0	3 206	5.9	Clusters of cases
Bhutan	20	891	115.5	0	1	0.1	Sporadic cases
<b>Western Pacific</b>	<b>105 757</b>	<b>1 965 683</b>	<b>100.1</b>	<b>543</b>	<b>31 904</b>	<b>1.6</b>	
Philippines	71 606	784 023	715.5	264	13 423	12.2	Community transmission
Japan	16 018	482 867	381.8	190	9 221	7.3	Clusters of cases
Malaysia	8 968	349 610	1 080.2	35	1 286	4.0	Clusters of cases
Republic of Korea	3 529	105 279	205.3	22	1 744	3.4	Clusters of cases
Mongolia	2 905	9 598	292.8	5	11	0.3	Clusters of cases
Papua New Guinea	1 652	6 857	76.6	16	61	0.7	Community transmission

Reporting Country/Territory/Area <sup>i</sup>	New cases in last 7 days	Cumulative cases	Cumulative cases per 100 thousand population	New deaths in last 7 days	Cumulative deaths	Cumulative deaths per 100 thousand population	Transmission classification <sup>ii</sup>
Cambodia	456	2 689	16.1	9	19	0.1	Sporadic cases
China	187	102 867	7.0	0	4 851	0.3	Clusters of cases
Singapore	180	60 468	1 033.6	0	30	0.5	Sporadic cases
Australia	89	29 341	115.1	0	909	3.6	Clusters of cases
Viet Nam	39	2 629	2.7	0	35	0.0	Clusters of cases
New Zealand	25	2 151	44.6	0	26	0.5	Clusters of cases
Brunei Darussalam	8	214	48.9	0	3	0.7	Sporadic cases
Solomon Islands	1	19	2.8	0	0	0.0	No cases
Fiji	0	67	7.5	0	2	0.2	Sporadic cases
Lao People's Democratic Republic	0	49	0.7	0	0	0.0	Sporadic cases
<b>Territories<sup>iii</sup></b>							
Wallis and Futuna	49	425	3 779.1	0	4	35.6	Sporadic cases
French Polynesia	26	18 633	6 633.1	0	141	50.2	Sporadic cases
Guam	19	7 606	4 506.6	2	136	80.6	Clusters of cases
Marshall Islands	0	4	6.8	0	0	0.0	No cases
New Caledonia	0	121	42.4	0	0	0.0	Sporadic cases
Northern Mariana Islands (Commonwealth of the)	0	159	276.2	0	2	3.5	Pending
Samoa	0	4	2.0	0	0	0.0	No cases
Vanuatu	0	3	1.0	0	0	0.0	No cases
<b>Global</b>	<b>4 038 292</b>	<b>130 459 184</b>	<b>1 673.7</b>	<b>71 355</b>	<b>2 842 325</b>	<b>36.5</b>	

\*See [Annex: Data, table and figure notes](#)



### Annex 3. Data, table and figure notes

Data presented are based on official laboratory-confirmed COVID-19 case and deaths reported to WHO by country/territories/areas, largely based upon WHO [case definitions](#) and [surveillance guidance](#). While steps are taken to ensure accuracy and reliability, all data are subject to continuous verification and change, and caution must be taken when interpreting these data as several factors influence the counts presented, with variable underestimation of true case and death incidence, and variable delays to reflecting these data at global level. Case detection, inclusion criteria, testing strategies, reporting practices, and data cut-off and lag times differ between countries/territories/areas. A small number of countries/territories/areas report combined probable and laboratory-confirmed cases. Differences are to be expected between information products published by WHO, national public health authorities, and other sources. Due to public health authorities conducting data reconciliation exercises which remove large numbers of cases or deaths from their total counts, negative numbers may be displayed in the new cases/deaths columns as appropriate. When additional details become available that allow the subtractions to be suitably apportioned to previous days, graphics will be updated accordingly. A record of historic data adjustment made is available upon request by emailing [epi-data-support@who.int](mailto:epi-data-support@who.int). Please specify the country(ies) of interest, time period(s), and purpose of the request/intended usage. Prior situation reports will not be edited; see [covid19.who.int](https://covid19.who.int) for the most up-to-date data. Global totals include 745 cases and 13 deaths reported from international conveyances.

The designations employed, and the presentation of these materials do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement. Countries, territories and areas are arranged under the administering WHO region. The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

<sup>[1]</sup> All references to Kosovo should be understood to be in the context of the United Nations Security Council resolution 1244 (1999). In the map, number of cases of Serbia and Kosovo (UNSCR 1244, 1999) have been aggregated for visualization purposes.

<sup>i</sup> Excludes countries, territories, and areas that have never reported a confirmed COVID-19 case (Annex 1), or the detection of a variant of concern (Annex 2).

<sup>ii</sup> Transmission classification is based on a process of country/territory/area self-reporting. Classifications are reviewed on a weekly basis and may be revised as new information becomes available. Differing degrees of transmission may be present within countries/territories/areas. For further information, please see: [Considerations for implementing and adjusting public health and social measures in the context of COVID-19](#):

- No (active) cases: No new cases detected for at least 28 days (two times the maximum incubation period), in the presence of a robust surveillance system. This implies a near-zero risk of infection for the general population.
- Imported / Sporadic cases: Cases detected in the past 14 days are all imported, sporadic (e.g., laboratory acquired or zoonotic) or are all linked to imported/sporadic cases, and there are no clear signals of further locally acquired transmission. This implies minimal risk of infection for the general population.

- Clusters of cases: Cases detected in the past 14 days are predominantly limited to well-defined clusters that are not directly linked to imported cases, but which are all linked by time, geographic location and common exposures. It is assumed that there are a number of unidentified cases in the area. This implies a low risk of infection to others in the wider community if exposure to these clusters is avoided.
- Community transmission: Which encompasses a range of levels from low to very high incidence, as described below and informed by a series of indicators described in the aforementioned guidance. As these subcategorizations are not currently collated at the global level, but rather intended for use by national and sub-national public health authorities for local decision-making, community transmission has not been disaggregated in this information product.
  - CT1: Low incidence of locally acquired, widely dispersed cases detected in the past 14 days, with many of the cases not linked to specific clusters; transmission may be focused in certain population sub-groups. Low risk of infection for the general population.
  - CT2: Moderate incidence of locally acquired, widely dispersed cases detected in the past 14 days; transmission less focused in certain population sub-groups. Moderate risk of infection for the general population.
  - CT3: High incidence of locally acquired, widely dispersed cases in the past 14 days; transmission widespread and not focused in population sub-groups. High risk of infection for the general population.
  - CT4: Very high incidence of locally acquired, widely dispersed cases in the past 14 days. Very high risk of infection for the general population.
- Pending: transmission classification has not been reported to WHO.

iii “Territories” include territories, areas, overseas dependencies and other jurisdictions of similar status.