



# ISO 7010:2019

## Amd 10 2025

Tutta la Raccolta  
segnaletica Sicurezza

## Codifica e Immagini

ID 23768 | Ed. 14.0 Agosto 2025

Con l'emendamento A10 Agosto 2025, aggiunta la segnaletica:

- E072: Safe anchorage point
- E073: Emergency descent device
- E074: Emergency rations
- E075: Lifeguard
- E076: Evacuation equipment
- M068: Lock moving mechanical parts
- M069: Tools must be tethered
- M072: Use decontamination shower
- P080: No access for unauthorized persons

## ISO 7010

- E001 - Emergency exit (left hand)
- E002 - Emergency exit (right hand)
- E003 - First aid
- E004 - Emergency telephone
- E005 - Direction, arrow (90° increment), safe condition
- E006 - Direction, 45° arrow (90° increments). safe condition
- E007 - Evacuation assembly point
- E008 - Break to obtain access
- E009 - Doctor
- E010 - Automated external heart defibrillator
- E011 - Eyewash station
- E012 - Safety shower
- E013 - Stretcher
- E016 - Emergency window with escape ladder
- E017 - Rescue window
- E018 - Turn anticlockwise to open
- E019 - Turn clockwise to open
- F001 - Fire extinguisher
- F002 - Fire hose reel
- F003 - Fire ladder
- F004 - Collection of firefighting equipment
- F005 - Fire alarm call point
- F006 - Fire emergency telephone
- M001 - General mandatory action sign
- M002 - Refer to instruction manual-booklet
- M003 - Wear ear protection
- M004 - Wear eye protection
- M005 - Connect an earth terminal to the ground
- M006 - Disconnect mains plug from electrical outlet
- M007 - Opaque eye protection must be worn
- M008 - Wear safety footwear
- M009 - Wear protective gloves
- M010 - Wear protective clothing
- M011 - Wash your hands
- M012 - use handrail
- M013 - Wear a face shield
- M014 - Wear head protection
- M015 - Wear high-visibility clothing
- M016 - Wear a mask
- M017 - Wear respiratory protection

- M018 - Wear a safety harness
- M019 - Wear a welding mask
- M020 - Wear safety belts
- M021 - Disconnect before carrying out maintenance or repair
- M022 - Use barrier cream
- M023 - Use footbridge
- M024 - Use this walkway
- M025 - Protect infant's eyes with opaque eye protection
- M026 - Use protective apron
- P001 - General prohibition sign
- P002 - No smoking
- P003 - No open flame; Fire, open ignition source and smoking prohibited
- P004 - No thoroughfare
- P005 - Not drinking water
- P006 - No access for forklift trucks and other industrial vehicles
- P007 - No access for people with active implanted cardiac devices
- P008 - No metallic articles or watches
- P010 - Do not touch
- P011 - Do not extinguish with water
- P012 - No heavy load
- P013 - No activated mobile phones
- P014 - No access for people with metallic implants
- P015 - No reaching in
- P017 - No pushing
- P018 - No sitting
- P019 - No stepping on surface
- P020 - Do not use lift in the event of fire
- P021 - No dogs
- P022 - No eating or drinking
- P023 - Do not obstruct
- P024 - Do not walk or stand here
- P025 - Do not use this incomplete scaffold
- P026 - Do not use this device in a bathtub, shower or water-filled reservoir
- P027 - Do not use this lift for people
- P028 - Do not wear gloves
- P029 - No photography
- P030 - Do not tie knots in rope
- P031 - Do not alter the state of the switch
- P032 - Do not use for face grinding
- P033 - Do not use for wet grinding
- P034 - Do not use with hand-held grinding machine
- W001 - General warning sign
- W002 - Warning; explosive material
- W003 - Warning; Radioactive material or ionizing radiation
- W004 - Warning; laser beam
- W005 - Warning; Non-ionizing radiation
- W006 - Warning; Magnetic field
- W007 - Warning; Floor-level obstacle
- W008 - Warning; Drop (fall)
- W009 - Warning; Biological hazard
- W010 - Warning; Low temperature-freezing conditions
- W011 - Warning; Slipper surface
- W012 - Warning; Electricity
- W013 - Warning; Guard dog
- W014 - Warning; Forklift trucks and other industrial vehicles
- W015 - Warning; Overhead load
- W016 - Warning; Toxic material
- W017 - Warning; Hot surface
- W018 - Warning; Automatic Start-up
- W019 - Warning; Crushing

- W020 - Warning; Overhead obstacle
- W021 - Warning; Flammable material
- W022 - Warning; Sharp element
- W023 - Warning; Corrosive substance
- W024 - Warning; Crushing of hands
- W025 - Warning; Counterrotating rollers
- W026 - Warning; Battery charging
- W027 - Warning; Optical radiation
- W028 - Warning; Oxidizing substance
- W029 - Warning; Pressurized cylinder

## ISO 7010 A1

- M028 - Keep locked
- M029 - Sound horn
- M030 - Use litter bin
- M031 - Use table saw adjustable guard
- M032 - Wear anti-static footwear
- P016 - Do not spray with water
- W030 - Warning; Hand crushing between press brake tool
- W031 - Warning; Hand crushing between press brake and material
- W033 - Warning; Barbed wire
- W034 - Warning; Bull
- W035 - Warning; Falling objects

## ISO 7010 A2

- E014 - Child seat presence and orientation detection system (CPOD)
- E015 - Drinking water
- E020 - Emergency stop button
- E022 - Door opens by pushing on the left-hand side
- E023 - Door opens by pushing on the right-hand side
- M027 - Check guard
- P035 - Do not wear metal-studded footwear
- P036 - No children allowed
- W032 - Warning; Rapid movement of workpiece in press brake
- W036 - Warning; Fragile roof
- W038 - Warning; Sudden loud noise

## ISO 7010 A3

- M033 - Close safety bar of chairlift
- M034 - Open safety bar of chairlift
- M035 - Immediately leave the tow-track in the event of falling
- M036 - Lift ski tips
- P037 - Do not leave the tow-track
- P038 - Do not swing the chair

## ISO 7010 A4

- E024 - Evacuation temporary refuge
- E027 - Medical grab bag
- E028 - Oxygen resuscitator

- E029 - Emergency escape breathing device
- E031 - Shipboard general alarm
- E032 - Shipboard assembly station
- E033 - Door slides right to open
- E034 - Door slides left to open
- E036 - Lifeboat
- E037 - Rescue boat
- E038 - Liferaft
- E039 - Davit-launched liferaft
- E040 - Lifebuoy
- E041 - Lifebuoy with line
- E042 - Lifebuoy with light
- E043 - Lifebuoy line and light
- E044 - Lifejacket
- E045 - Child's lifejacket
- E046 - Infant's lifejacket
- E047 - Search and rescue transponder
- E048 - Survival craft distress signals
- E049 - Rocket parachute flare
- E050 - Line-throwing appliance
- E051 - Two-way VHF radiotelephone apparatus
- E052 - Emergency position indicating radio beacon
- E053 - Embarkation ladder
- E054 - Marine evacuation slide
- E055 - Marine evacuation chute
- E056 - Survival clothing
- E057 - Door opens by pulling on the left-hand side
- E058 - Door opens by pulling on the right-hand side
- F008 - Fixed fire extinguishing battery
- F009 - Wheeled fire extinguisher
- F010 - Portable foam applicator unit
- F011 - Water fog applicator
- F012 - Fixed fire extinguishing installation
- F013 - Fixed fire extinguishing bottle
- F014 - Remote release station
- F015 - Fire monitor
- M037 - Close and secure hatches in launch sequence
- M038 - Start engine in launch sequence
- M039 - Lower lifeboat to the water in launch sequence
- M040 - Lower liferaft to the water in launch sequence
- M041 - Lower rescue boat to the water in launch sequence
- M042 - Release falls in launch sequence
- M043 - Start water spray in launch sequence
- M044 - Start air supply in launch sequence
- M045 - Release lifeboat gripes in launch sequence

## ISO 7010 A5

- E035 - Liferaft knife
- E059 - Escape ladder
- E060 - Evacuation chair
- M046 - Secure gas cylinders
- M047 - Use self-contained breathing appliance
- M048 - Use gas detector
- M049 - Wear protective roller sport equipment
- P009 - No climbing
- P039 - Hot works prohibited

- W037 - Warning; Run over by remote operator controlled machine

## ISO 7010 A6

- F016 - Fire blanket
- W039 - Warning; Falling ice
- W040 - Warning; Roof avalanche

## ISO 7010 A7

- E025 - Emergency hammer
- P040 - Do not set off fireworks
- P041 - No leaning against
- P042 - Not for pregnant women
- W041 - Warning; Asphyxiating atmosphere

## ISO 7010 A8

- E021 - Protection shelter
- F007 - Fire protection door
- M050 - Alighting from toboggan to the left
- M051 - Alighting from toboggan to the right
- M052 - Keep distance between toboggans
- P043 - Not for the people in the state of intoxication
- P044 - Use of smart glasses prohibited
- P046 - Do not stretch out to toboggan
- P047 - Do not ram into toboggan
- W042 - Warning; Arc flash

## ISO 7010 A1 2020

- P045 - No campfire
- P071 - Do not cross barrier
- P072 - No jumping down
- W068 - Warning; Falling into water when stepping on
- W069 - Warning; Jellyfish
- W070 - Warning; Step down

## ISO 7010 A2 2020

- W071 - Warning; Substance or mixture presenting a health hazard
- W072 - Warning; Substance or mixture that can cause an environmental hazard
- M055 - Keep out of reach of children
- E017 - Firefighters' lift
- E064 - First aid responder

## ISO 7010 A3 2021

- E067 - Evacuation mattress

- E068 - Lifebuoy with light and smoke
- E069 - Person overboard call point
- F019 - Unconnected fire hose

## **ISO 7010 A4 2021 (12.2021)**

- F018: Fire alarm flashing light,
- M059: Wear laboratory coat,
- W073: Warning; Large-scale fire zone,
- W074: Warning; Tornado zone,
- W075: Warning; Active volcano zone,
- W076: Warning; Debris flow zone,
- W077: Warning; Flood zone,
- W078: Warning; Landslide zone.

## **ISO 7010 A5 2022 (01.2022)**

- M056 - Ventilate before and during entering
- M057 - Ensure continuous ventilation
- M058 - Entry only with supervisor outside

## **ISO 7010 A6 2022 (08.2022)**

- E065 - Natural disaster outdoor refuge area
- E070 - Evacuation lift for people unable to use stairs
- M060 - Hold the trolley handle
- P073 - Do not shut lid when burners are operating
- P074 - Child seat installation prohibited
- 

## **ISO 7010 A7 2023 (07.2023)**

- P075 - Do not stare at light source
- W079 - Warning; Hot content
- W080 - Warning; Hot steam

## **ISO 7010 A8 2024 (05.2024)**

- M061 - Disinfect your hands
- M062 - Disinfect surface

## **ISO 7010 A9 2025 (04.2025)**

- M070: Use lamp in luminaire with shield
- M071: Use anti-tip restraints
- P081: Do not cover
- W087: Warning; High sound volume levels
- W088: Warning; Moving blades

- W089: Warning; Moving gears

## ISO 7010 A10 2025 (08.2025)

- E072: Safe anchorage point
- E073: Emergency descent device
- E074: Emergency rations
- E075: Lifeguard
- E076: Evacuation equipment
- M068: Lock moving mechanical parts
- M069: Tools must be tethered
- M072: Use decontamination shower
- P080: No access for unauthorized persons

### Collegati

[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2012](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2015](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2017](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2018](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2020](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2021](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2022](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2023](#)  
[La Raccolta dei Segnali di sicurezza EN ISO 7010 - Ed. 2024](#)

### Fonti

ISO

### Note Documento e legali

Certifico Srl - IT | Ed. 14.0 2025

©Copia autorizzata Abbonati

ID 23768 | 30.08.2025

Permalink: <https://www.certifico.com/id/23768>

[Policy](#)

