



"Risk reduction October 2017"

Version 4.8.9 (Build 0)
12.10.2017

Windows 7, 8, 10, 20XX Server

Informazioni CEM4 489

Richiede conversione automatica del database (4.7.x, 4.8.x)

- 0000759: [Home] Dashboard: widget dell'ultima sessione di lavoro dell'utente - [DBFIX 45]
- 0002676: [Sessioni] Elenco ultime finestre di documento e di gestione chiuse nella sessione corrente
- 0002674: [Fix] Mancata esportazione nuove valutazioni in alcune circostanze
- 0002670: [Fix] Errore classificazione pericoli generati da radiazioni nella raccolta "General" - [DBFIX 45]
- 0002681: [Interfaccia grafica] Nuova finestra di attesa
- 0002667: [Debugger documenti] Debugger documenti
- 0002664: [Debugger documenti] AR1/AR2/CR2/VX1/VX2: Avvisi per conformità schede e stampa dei report valutazioni
- 0002665: [Debugger documenti] AR1/AR2/CR2/VX1/VX2: Avviso fattore di riduzione
- 0002666: [Fix] AR1/AR2/CR2/VX1/VX2: Errore visualizzazione AR stato precedente scheda nel report della valutazione
- 0002669: [Fix] Pulsante "Zoom" in anteprima di stampa report passaggio "Larghezza pagina" a "Pagina intera"
- 0002668: [Fix] Correzione del codice per la classe di probabilità della stima del rischio
- 0002663: [Report di stampa] AR1/AR2/CR2/VX1/VX2: Calcolo della riduzione all'interno del report

About CEM4 489

May require the automatic database conversion (4.7.x, 4.8.x)

- 0000759: [Home] Dashboard: added last user session widget - [DBFIX 45]
- 0002676: [Sessions] List of last closed documents and management windows for the current working session
- 0002674: [Fix] Fixed an error that prevented export for new risk assessments
- 0002670: [Fix] Fixed error for radiation hazards into "General" collection (English language only) [DBFIX 45]
- 0002681: [GUI] New waiting window
- 0002667: [Document Debugger] Document Debugger
- 0002664: [Document Debugger] AR1/AR2/CR2/VX1/VX2: Report conformity for new risk assessments warning
- 0002665: [Document Debugger] AR1/AR2/CR2/VX1/VX2: Reduction factor warning
- 0002666: [Fix] AR1/AR2/CR2/VX1/VX2: Fixed HZA view error of report previous state for new risk assessment report
- 0002669: [Fix] Button "Zoom" in report print preview allows to pass from "Page width" to "Full page"
- 0002668: [Fix] Fixed code error for risk estimate probability class
- 0002663: [Print report] AR1/AR2/CR2/VX1/VX2: Reduction factor inside the print report